


3 Shelf Pipe Rack



Parts



- You should receive the following parts.
- Attach floor flange fittings by screwing them onto parts “E”, “F”, and “G”.
- You should also receive hardware (not pictured)

Step 1



- Thread Parts labeled “D” into board labeled “A”
- Do not over tighten as this will be how you level the rack.

Step 2



- Thread pipe Labeled “E” into board Labeled “B”
- NOTE: the flanges on board “B” are loose. Leave these loose until the next step.
- Tighten pipe “E” hand tight.

Step 3



- Flip Board “A” over so it is resting on the four flanges.
- Flip Board “B” over onto Board “A”
- Using the shorter screws align the holes in pipe “E” with the pre drilled holes in on board “A”
- Tighten all the bottom screws and then tighten the top screws that were loose in the previse step.

Step 4



- Lay pipe “G” on board “C” as shown.
- There are pre drilled holes on one side of board “C”
- Align these holes with the holes in pipe “G”
- Use the smaller screws to attach Pipe “G” to board “C”

Step 5



- Thread Pipe “F” into Pipe “G”
- Thread this pipe hand tight.
- Repeat on both sides

Step 6



- Align Pipe “F” with the pre drilled holes on board “B”
- Make sure to use the long screws when attaching these pieces.

Enjoy

